

wattyl®

exterior



Solagard®

coastal

If you like the Hamptons style, stick to light, warm neutrals. For more of a coastal feel, pair whites with pops of blue or green inspired by the sea.



Colorbond® Surfmist®

Colorbond® Dune®


Baloo




Magnetic Blue

Winter Mushroom

Southwards



Winter Mushroom
LRV 78



Southwards
LRV 61




Magnetic Blue
LRV 22



Moon Child

Sleek Scandi

Colorbond® Monument®




Moon Child
LRV 84.00



Sleek Scandi
LRV 61.65



Colorbond® Monument®
LRV 8



Colorbond® Surfmist®
LRV 69




Colorbond® Dune®
LRV 39




Baloo
LRV 27

traditional



Calcium
LRV 84



Morning Grey
LRV 60



Colorbond® Windspray®
LRV 27



Camelus
LRV 35.12



Barton
LRV 11.40



Heritage Red*
LRV 8.00

colour tip


Deeper colours on the base of a home imply integrity and strength and connect the building to its surroundings.



Magic White

Fossil Creek

Grey Ember



Magic White
LRV 88



Fossil Creek
LRV 15



Grey Ember
LRV 7

wattyl loves

colour tip


Use a contrast or accent colour to highlight architectural details.



Anush

Moccacino

Colorbond® Woodland Grey®



Anush
LRV 72.46



Moccacino
LRV 44



Colorbond® Woodland Grey®
LRV 12

Traditional houses can keep their classic appeal with a neutral colour scheme, which has longevity and street appeal.

colour tip


Tonal schemes which use different shades of a similar colour create a harmonious feel.



Colorbond® Nightsky®

Dobson

Safe and Sound



Dobson
LRV 77.39



Safe and Sound
LRV 62



Colorbond® Nightsky®
LRV 5


modern



Pitchstone

Black Tied

Cold Rush



Cold Rush
LRV 62.00



Pitchstone
LRV 14.19




Black Tied
LRV 6.64




Afternoon Nap

Colorbond® Deep Ocean

Strauss White



Strauss White
LRV 81



Afternoon Nap
LRV 71.52



Colorbond® Deep Ocean®
LRV 9

coastal

| | | |
|---|---|---|
|  |  |  |
| Stalactite LRV 82 | Sydney Mist LRV 53 | Black Pearl LRV 14 |
|  |  |  |
| Cave LRV 64 | High Drama LRV 38.49 | Travel Nomad LRV 23.20 |
|  |  |  |
| Nickel LRV 56 | Dolphin LRV 46 | Mystic Bay LRV 18.36 |
|  |  |  |
| Nimbostratus LRV 58 | Kinfolk LRV 52.54 | Denim LRV 14 |
|  |  |  |
| Rainforest Cloud LRV 81 | Contiki LRV 39.96 | Welland LRV 21 |
|  |  |  |
| Cotton Grey LRV 79 | Driftwood LRV 69.55 | Saltash LRV 55 |
|  |  |  |
| Bubbling Mud LRV 60.37 | Toned Taupe LRV 42.33 | Outback Brown LRV 26.67 |

The Light Reflectance Value (LRV) of a colour indicates the amount of light and heat the colour will reflect. Black has an LRV of 0% and absorbs all light and heat, and surfaces may become hot causing thermal movement. White has an LRV of 100% and reflects all light and helps keep buildings cool. All colours lie in between.

traditional/heritage

| | | |
|---|---|---|
|  |  |  |
| Queen Charlotte Blue LRV 54.63 | Satisfied Silver LRV 33.77 | Mintaro Slate LRV 10 |
|  |  |  |
| Cape Horn LRV 76 | Parched Peat LRV 24.88 | Smoke Out LRV 8.06 |
|  |  |  |
| Dhimba LRV 75 | Sure Thing LRV 65 | Northwest LRV 13 |
|  |  |  |
| Precious Heirloom LRV 63.93 | Legacy LRV 34.85 | Shelter Cove LRV 20.80 |
|  |  |  |
| Greendale* LRV 53.26 | Storm Grey* LRV 29.71 | Dark Olive* LRV 9.65 |
|  |  |  |
| Broken White* LRV 79 | Light Earth* LRV 49.17 | Heritage Tobacco* LRV 7.83 |
|  |  |  |
| Deep Taupe* LRV 41.40 | Heritage Red Ochre* LRV 23.72 | Deluxe* LRV 15.23 |

*HERITAGE COLOURS


modern

| | | |
|---|---|---|
|  |  |  |
| Earth Child LRV 70 | Modern Glitch LRV 55.27 | Silent Silhouette LRV 8 |
|  |  |  |
| Windermere LRV 51.23 | Monday Morning LRV 26.67 | Soulful Grey LRV 7.22 |
|  |  |  |
| Silver Flute LRV 73 | Portland LRV 29 | Fenno LRV 14.63 |
|  |  |  |
| Millstein LRV 49.52 | Armor Plated LRV 31 | Royal Grey LRV 15.33 |
|  |  |  |
| Floral White LRV 72 | Ashbury LRV 30.16 | Luxe Brown LRV 10.65 |
|  |  |  |
| Compose LRV 60.91 | Alcott LRV 20.16 | Decurion LRV 10.78 |
|  |  |  |
| Crushed Clove LRV 33 | Potemkin LRV 22 | Charcoal LRV 13 |

wattyl loves

| | | |
|---|---|---|
|  |  |  |
| Magic White LRV 88 | Fossil Creek LRV 15 | Grey Ember LRV 7 |
|  |  |  |
| Spirit Grey LRV 73 | Low Cloud LRV 41 | Coalmine LRV 21 |
|  |  |  |
| Soft Apparition LRV 65 | After LRV 40 | Bongo LRV 16.65 |
|  |  |  |
| Architects Grey LRV 69.14 | London Fog LRV 35 | Dundee LRV 14 |
|  |  |  |
| Confetti Shower LRV 73 | Creamy Coffee LRV 59 | Kanga LRV 25 |
|  |  |  |
| Slightly LRV 76 | Signal Station LRV 52.70 | Kirribilli* LRV 29.00 |
|  |  |  |
| Vitesse LRV 57 | Lavish Tan LRV 19.02 | Excalibur LRV 11 |

*HERITAGE COLOURS





Geyser Flat
LRV 74.88



Maldive Dive
LRV 38



Colorbond® Basalt®
LRV 13



Astor White
LRV 82




Dawn Grey
LRV 36



Black Hole
LRV 5

colorbond®



Colorbond® Surfmist®
LRV 69



Colorbond® Evening Haze®
LRV 52



Colorbond® Dune®
LRV 39




Colorbond® Shale Grey®
LRV 47




Colorbond® Windspray®
LRV 27




Colorbond® Basalt®
LRV 13



Colorbond® Cove®
LRV 27



Colorbond® Mangrove®
LRV 15




Colorbond® Gully®
LRV 18



Colorbond® Paperbark®
LRV 50



Colorbond® Jasper®
LRV 16



Colorbond® Terrain®
LRV 7



Colorbond® Wallaby®
LRV 16



Colorbond® Ironstone®
LRV 10



Colorbond® Monument®
LRV 8

25 YEAR WARRANTY
AGAINST FLAKING,
PEELING OR
BLISTERING*



Toughness
Level:
Australian

TOTAL PROTECTION TECHNOLOGY™



UV BLOCKOUT

Blocks out harmful UV rays preventing them from penetrating and damaging the surface.



APPLY IN TEMPS AS LOW AS 5°C

Solagard can be applied at temperatures as low as 5°C.

Do not apply if dew or rainfall is likely during drying or when humidity is very high.



LASTING FLEXIBILITY

Long term flexibility ensures the paint stretches and flexes with extreme climatic conditions, protecting against cracking, peeling and blistering.



INHIBITS MOULD AND MILDEW

Contains powerful anti-mould ingredients to protect the surface, resisting the growth of mould and fungus.



RESISTS CHALKING & FADING

100% acrylic formula, with high performance polymers and durable pigments, provides resistance against chalking and colour fade in the extremes of sun and weather.



SELF-PRIMING

No primer needed on timber, cement render, brick, fibre cement, masonry, Zinalume® and galvanised iron sheet for faster and simpler painting.

Realise your colour potential in 3 easy steps

INSPIRATION

Gather inspiration from our colour palettes, in-store Wattyl colour walls or online at wattyl.com.au/colour

EDIT AND TEST

Now it's time to narrow selections and test. Get Wattyl Colour Swatches and Test Pots to test your colour from your local Wattyl retailer or online at wattyl.com.au/colour

SELECT

Ready to go. Find the right product for the job and head to wattyl.com.au/Solagard-selector Use our paint calculator to help you determine how much paint you need.

Don't worry, it's wattyl®

Total Protection Technology

Wattyl Solagard with Total Protection Technology™ protects your home against Australia's harsh weather extremes. With UV blockout and long term flexibility, Solagard resists cracking and peeling.



25 YEAR WARRANTY
AGAINST FLAKING,
PEELING OR
BLISTERING*

For further information
refer to the Technical Data Sheets
available on our website.

Hempel (Wattyl) Australia. Level 3, 2 Burbank Place,
Baulkham Hills NSW 2153.

Hempel (Wattyl) New Zealand. 4-14 Patiki Road, Avondale.



wattylpaint



wattylpaint



wattyl paints



**WATTYL
ASSIST**

AUS 132 101
wattyl.com.au

NZ 0800 825 7727
wattyl.co.nz



Image credits: Dale Alcock Homes www.dalealcock.com.au pp. 1, 5 & 13 (top). Futureflip www.futureflip.com.au pp. 2 & 11. G.J. Gardner Homes www.gjgardner.com.au pp. 3 (bottom) & 13 (bottom). Plunkett Homes www.plunketthomes.com.au pp. 4 (top) & 6 (top). Sarah Homes www.sarahhomes.com.au pp. 6 (bottom). Ownit Homes www.ownithomes.com.au p. 12.

All printed colours have been matched as closely to the actual paint colour as the printing process will allow. Slight variations may occur. Photographic and printed images may not represent the true colour. Colorbond® and Zinalume® are registered trademarks of BlueScope Steel Limited. Hempel (Wattyl) Australia Pty Ltd ABN 40 000 035 914.